

# Notice of Allowability

Application No.

10/576,327

Examiner

Vivian Chen

Applicant(s)

NAKABEPPU ET AL.

Art Unit

1794

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the preliminary amendment filed 4/19/2006.
2. ☒ The allowed claim(s) is/are 1-16.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☒ All    b) ☐ Some\*    c) ☐ None    of the:
    1. ☐ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☒ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

## Attachment(s)

- |  |   |
|--|---|
| 1. <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)  | 5. <input type="checkbox"/> Notice of Informal Patent Application                     |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                               | 6. <input type="checkbox"/> Interview Summary (PTO-413),<br>Paper No./Mail Date _____ |
| 3. <input checked="" type="checkbox"/> Information Disclosure Statements (PTO/SB/08),<br>Paper No./Mail Date _____ | 7. <input type="checkbox"/> Examiner's Amendment/Comment                              |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit<br>of Biological Material         | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance  |
|  | 9. <input type="checkbox"/> Other _____   |

## EXAMINER'S REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance:

The prior art of record fails to disclose or suggest the recited near-infrared radiation blocking coating containing two different near-IR absorbing agents, wherein the first agent is a diimonium salt with the recited fluorinated methane-sulfonate counterion and the second agent is different from the first agent, and an acrylate resin binder derived from cycloalkyl acrylate units, in view of the showing in the specification regarding the criticality of the combination of the specified diimonium salt, the second near-IR absorbing agent, and the cycloalkyl acrylate resin binder. KITAYAMA ET AL (US 6,474,590) and FUKUI ET AL (US 5,108,873) fail to disclose the recited acrylic coating compositions with acrylate binders containing cycloalkyl acrylate groups; NODA ET AL (US 2004/0204555) and NODA ET AL (US 7,241,404) and JP 2001-133624 and JP 2002-156521 and MARUTSUKA (US 6,777,087) and KUWABARA (US 6,775,059) and GB 1069951 fails to disclose the recited diimonium salt with the recited fluorinated methane-sulfonate counterion in combination with the recited acrylic binders with cycloalkyl acrylate groups; KAWASATO ET AL (US 6,902,791) and SUZUKI ET AL (US 6,960,387) fail to disclose the recited combination of the specified diimonium salt and acrylic resin; JP 2002-249721 fails to disclose coatings containing the specified diimonium salt; TOJO ET AL (US 7,005,176) fails to disclose the recited combination of the specified diimonium salt and the specified second different near-infrared absorbing coloring agent.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Vivian Chen whose telephone number is (571) 272-1506. The examiner can normally be reached on Monday through Thursday from 8:30 AM to 6 PM. The examiner can also be reached on alternate Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Milton Cano, can be reached on (571) 272-1398. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

The General Information telephone number for Technology Center 1700 is (571) 272-1700.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

December 23, 2007

  
Vivian Chen  
Primary Examiner  
Art Unit 1794